

YOUR MOST PRECIOUS RESOURCE.....TIME.

And that time should be about relaxing with the people you care about in the places you love. Your days should be free of headaches and full of memories. So join us out on the dock. You're going to like it out here.









Contents

ALUMINUM DOCKS

Roll-In	4-7
Sectional	8-11
Floating	12-15
Layouts & Dock Sizes	16
Accessories	17-19

ALUMINUM BOAT LIFTS

Vertical Winch Lifts	20-23
VSD Lifts	24-27
Pivot Lifts	28-29
Canopy Systems	30-31
Bunk Systems & Guides	32-33
Lift Accessories	34
Specifications	35

Roll-In Docks

WHERE MEMORIES BEGIN

Breathtaking sunrises, astonishing sunsets, and the simple peace that surrounds you. The lake is a special place where hassles and frustrations have no place. That's why we've built our roll-in docks for easy installation and removal – leaving more time for you to create everlasting memories.





Roll-In Docks

Features & Specifications FLOE'S new Quick Attach roll-in dock

The exclusive Quick-Attach track system makes it simple to connect sections and attach accessories.

All new Chestnut Alumagrain paint finish is visually stunning.

Aluminum Roll-In Docks – Easy, solid, modular.

Ideal for medium to hard bottoms, mild to moderate slope, and spacious shoreline areas.

For beautiful shorefront

appeal and rock-solid stability, a roll-in dock is a smart choice. The modular design gives you the ability to arrange or rearrange, and the mobility makes it easy and hassle-free.

Easy-Level[™] Leg Sizing

Leg size	Water & mud depth w/wheels	Water & mud depth w/sand pads	Total travel
X-Shallow	0"-13"	0"-6"	8"
Shallow	13"-30"	5"-23"	**17"
Medium	18"-45"	11"-39"	*27"
Deep	33"-61"	26"-54"	28"
X-Deep	49"-89"	42"-82"	40"
XX-Deep	68"-108"	61"-101"	40"

Wheel kit measurements are calculated with the top of the dock 17" out of the water. If you plan to set the dock higher or lower, add/subtract that amount to/from the depth measurement.

- * 16" of manual adjustment via set bolt on Medium legs.
- ** 9" of manual adjustment via set bolt on Shallow legs.



FLOE's Easy-Level[™] System

Effortlessly level each dock section independently from the top with a cordless drill.

Double-Braced Legs

Eliminates side-toside sway. Wide, molded polymer wheels for easy transport will never go flat or rot.

Quick-Connect[™] System

Dock sections quickly link together

for a straight out dock or to make a custom configuration. Eliminates the process of hard bolting. Individual sections can be moved independently to make installation and removal easy.




Dock Components & Sizes

Configure your dock to meet your exact needs with a wide variety of modular components and sizes.

DOCK SECTIONS	4'X16', 4'X12', 6'X12', 2'X10'
SUNDECKS	8'X16', 8'X12', 8'X8', 4'X8'
SHORE END RAMPS	4'X3', 4'X12', 4'X6', 6'X8'
SHOREWAYS	4'X16', 4'X12', 6'X16', 6'X12'
WEDGES	

New For 2023 FLOE's new patented Quick-Attach roll-in dock



Dock Approach Options



Shoreway



Shore End Ramp



3' Shore End Transition Ramp Works with Roll-In & Sectional Docks

Off-Season Storage

Storing your dock is simple. You get the user-friendliness a roll-in naturally provides, along with the compact storage of a sectional product. It's the best of both worlds.





Roll-In Docks





Sectional Docks

Sectional Docks

WHAT'S YOUR LAKE TIME?

Maybe it's fishing. Or it might be a sunset cruise. Or just dangling your feet off the dock. No matter what time it is, the most important time is family time. That's why our sectional docks are lightweight and easy to assemble – to save you time for the things that matter most.

Sectional Docks

Features & Specifications

FLOE's Easy-Level[™] System

Effortlessly level each dock section independently from the top with a cordless drill.

Removable Easy-Level[™] Legs with Quick-Brace[™]

Remove legs in seconds, without tools, for easy off-season storage.

Aluminum Sectional Docks Are Ideal

If your dock stays in year-round, you have terrain not suited for a roll-in dock, or you need to stack sections in minimal space during the off-season – FLOE's sectional docks are an ideal solution. They provide gorgeous shore appeal and install quickly and easily while providing an exceptional value.

Easy-Level[™] Leg Sizing

Leg size	Water & mud depth	Total travel
XX-Shallow	0"-8"	8"
Extra Shallow	8"-22"	14"
Shallow	18"-38"	20"
Medium	26"-54"	28"
Deep	42"-82"	40"

Leg kit measurements are calculated with the top of the dock 17" out of the water. If you plan to set the dock higher or lower, add/subtract that amount to/from the depth measurement.

Dock leg brackets are also available to use with traditional pipe on Sectional docks in place of leg kits.

Lightweight for Easy Mobility

Standard dock	Quick-Attach™ dock
8 ft. 97 lbs.	8 ft. 107 lbs.
10 ft. 120 lbs.	10 ft. 129 lbs.
12 ft. 143 lbs.	12 ft. 152 lbs.

Dock Components & Sizes

All sections work for main walkways, sundecks, slips, and shore-end ramps.

DOCK SECTIONS	4'X8', 4'X10', 4'X12'
WEDGES	

Quick-Connect[™] System

Dock sections quickly link together for a straight out dock or to make a custom configuration. Eliminates the process of hard bolting. Individual sections can be moved independently to make installation and removal easy.



Sectional docks are available in standard and Quick-Attach™ models. The Quick-Attach™ system allows for fast installation of accessories and Quick-Connects™.

Stacks in minimal space



Quick-Attach™

Easily attach accessories anywhere along the track using FLOE's patented Quick-Attach[™] brackets (sold separately).



Shore End Ramp

Shore End Ramp fits on Quick Attach[™] and Standard Sectional Dock with bracket.



3' Shore End Transition Ramp

Works with Roll-In & Sectional Docks



Floating Docks

YOU CAN'T WRITE A SCRIPT BETTER THAN THIS.

Friends laughing on the boat. A refreshing swim. Soaking up the bright sunshine. This is the stuff movies are made of. That's why our floating dock system works so well for deep water, depth fluctuations, or soft bottoms: so you can keep your picture-perfect day going without a care in the world.







Floating Docks

The Best in Float Technology

FLOE's rugged, foam-filled floats are backed by an industry-leading, 15-Year Limited Warranty that exceeds USACOE specifications.



The Engineered Floating Dock is the Way to Go

Whether you have deep water, non-stop settling, or fluctuating water – a floating dock is always self-leveling.





Modular System

Completely modular system with FLOE's patented frame incorporating a track on all sides enabling a custom floating dock.



Patented Track System and Quick-Release Hinge

Enjoy the freedom to create a custom system with standard components. Add hinges, guide-poles and other accessories anywhere along the dock's outer frame.





Quick-Release Hinge


Patented track system

Dock Entry Options

Gangway

- Provide safe transition from shore to dock.
- Optional top rails and kick boards also available.





Other Entry Options

Using a Shoreway and Roll-In dock section is an economical way to start your floating dock system.

Dock Components & Sizes

Configure your dock to meet your exact needs with a wide variety of modular components and sizes.

DOCK SECTIONS

LENGTHS	
WIDTHS	
SHORE END RAMPS	
SHOREWAYS - TRUSS STYLE R	AMPS4'X12', 4'X16', 5'X12',
	5'X16', 6'X12', 6'X16
GANGWAYS	
WEDGES	

Shoreways

• Transition plate on shore side.



Ramp

• Pivots to match up to shoreline.



Guide-Pole

For water depths less than 10 feet, an optional aluminum guide-pole and mounting bracket system is available for securing and stabilizing dock sections. The guide-poles feature an auger for secure anchoring into the bottom, and the bracket allows the dock to raise and lower with ease as water levels fluctuate.



Dock Layouts

Modular design lets you create your dream dock.

FLOE's modular engineering lets you configure sections and components where and when you want them, without any welding and drilling. The result is a custom dock without the custom cost.

Decking Choices



Grey Aluminum



Aluma-Grain[™] Chestnut


Design- a- Dock


See your dealer or use our interactive Design-A-Dock[™] program at: floeintl.com/designadock to create the perfect dock system.




LAYOUT SAMPLES

Shown here are just a fraction of the systems that you can create with FLOE's modular components. See your FLOE dealer or use our Design-a-Dock[™] program to create the perfect dock system.






ROLL-IN DOCKS




FLOATING DOCKS



12' shore-end ramps are available

8' wide. Truss style ramps are also


available for floating docks.



WEDGES & SUNDECKS Other standard floating in 3', 4', 5' & 6' widths. 9' ramps are dock components include 36" & 48" wedges and

8'x8' decks.

SECTIONAL DOCKS



DOCK SECTIONS

FLOE floating dock sections are available in the following lengths: 16', 20' & 24'. Each of these lengths is available in the following widths: 3', 4', 5', 6' & 8'.

ANGLED DOCKS

ANGLED DOCK SECTIONS Great for making a jog in the walkway and for making angled slips

Connect two angled docks together to form a 45° angle

Available in 4'X12' Quick Attach Sectional



Dock Accessories



Lake Accessory Rack - 2 Tier

- 35 lb. weight capacity per arm.
- Adjustable.
- Add-on arms available.



Lake Accessory Rack - Single • 35 lb. weight max. per arm.



Aluminum Bench with Arm Rests & Cup Holders



Canoe/Kayak Rack

- Roll-In docks only.
- Maximum weight 250 lbs.



Furniture Three-piece set includes two chairs and a table. **Umbrella sold separately.** *Furniture styles may vary* HOMECREST

Dock Accessories



Dock Steps

4-step, 6-step or 8-step for varying water depths. Not Available on Floating Docks.



Swim Ladders
58" and 70"

Bumper Edging Two sets of 10' edging with rivets.

30" and 40" heights.

Vertical Bumper







Horizontal and vertical styles.



Dock Accessories





Fishing Rod Holder Mounts onto a FLOE vertical bumper.

Dock Cleats Side mount and deck mount styles.



Speed Wrench 1 1%" socket for manually adjusting your dock.



Flag Pole

- Telescoping flag pole augers to lake bottom.
- Includes Solar Light and Globe.



Shore End Wheel Kit (Roll-in only) Makes installation and removal a breeze with no lifting.



Note: This is a stabilizing hand rail to assist with walking on the dock. It is not a safety guard rail to prevent adults or children from falling off the dock.

FLOE Vertical Lifts

THE DAY'S BIGGEST DECISION: SURFING OR FISHING?

If this is the most challenging decision of the day, you've done a few things right for yourself. Lakefront living is a reward for countless smart decisions over the years. Decisions like choosing a FLOE vertical lift with manual or easy push-button lifting technology. Some choices are difficult but sometimes the right answer is obvious.









Vertical Lifts

Standard Features





Vertical Lift Standard Features

FLOE lifts have long lasting stainless fasteners and cables and heavy-duty aluminum pulleys. They can work in shallower water as the lift cradle drops to the outside of the main frame. The patented Easy-Level[™] leg adjustment allows for smooth travel of 30" or more.

Easy-Level[™] Legs

With the patented Easy-Level[™] leveling leg system and a cordless drill you can effortlessly level your lift without getting in the water.

Deep water kits also available.

Try FLOE's Design-A-Lift[™] at: floeintl.com/designadock





12-Volt DC Winch

The push of a button is all it takes to quickly raise and lower your boat.



Winch Lifts

Features & Specifications

Available Models

V-1600 A great lift for today's PWC's.



V-2602

This is the finest PWC lift on the market, hands down. It features more bed travel and incorporates all of our V-lift technologies. It can hold two PWCs at adjustable, staggered heights and includes two pair of full-length bunks.



DC Wireless Remote Option

Up to 300' range for operating your lift.



Heavy-duty gear-reduced winch with automatic load holding brake features a large crank wheel with speed knob.



V2000, V3600, V4600 Able to accommodate a variety of fishing boats, runabouts, ski boats, jet boats, and pontoons.





VSD Boat Lifts

FLOE Vertical Screw Drive (VSD) Lifts

TIME MARCHES ON. BUT FOR A MOMENT, IT CAN STAND STILL.

Days turn into weeks. And months become years. It all happens way too fast. Which is why you should spend plenty of time with your feet up, telling stories and having a great time. Squeezing the most out of every day – that's what it's all about. A vertical lift with screw drive technology does its job faster and quieter, saving you precious time. What you do with it is up to you.

VSD Lifts Features & Specifications

What Makes a VSD Lift The Right Choice?

With the push of a button, you can raise and lower your boat in about half the time of most other powered lifts. A 30' wired remote includes a key switch for security.

Ball-Screw Lift Technology Eliminates Winches and Hydraulics

The sealed gear-head motor within the electric drive train simply spins the screw so the ball nut smoothly travels back and forth as it pulls the lifting cable. That means no cables wearing out, no leaking fluids, and whisper-quiet operation.

Available Models

IN OBLIT

DREM

VSD 3800, 5000, 6500, 8000 and 10000. Contact your local dealer to determine appropriate size lift for your boat.

Try FLOE's Design-A-Lift[™] program at: **floeintl.com/designadock**



VSD-5000 Pontoon

MAXIS

FLOE Pivot Lifts

THE STRONGEST BONDS LAST A LIFETIME.

When you find something of quality, you hold on to it tightly. A durable, extra rigid pivot lift will stand the test of time. Treat it well, and it will treat you well. It will never let you down.



Pivot Lifts

Features & Specifications





Pivot Lift Models Available

PWC-1300

Extra-rigid design is engineered to easily handle up to four passenger PWCs.

P-1600

Its quality, maintenance-free design makes it a great value for your expectations. For small watercraft.



Trouble-free, Economically Sound & Ideal for Small Boats and Personal Water Craft

There's plenty to love when it comes to pivot lifts. Four adjustable leveling legs with 24" of travel connect to a heavyduty extruded aluminum frame. And all pivot lifts come with a standard manual winch featuring aluminum pulleys and stainless steel fasteners, an automatic load-holding break, and smooth, no-bind operation.



PWC-1300



P-1600


Canopy Systems



8 Great Reasons Why FLOE Canopy Systems Give You More For Your Money:

- 1. Classic styling with a tailor-fit fabric for a refined look.
- 2. Premium-grade solution-dyed water resistant fabric gives a more luxurious look and weighs 50% less than comparable vinyl.
- 3. FLOE's exclusive Elastic Tension-Belt[™] and Quick-Clip[™] fabric attachment system holds canopy taut.
- 4. Fabric and framework to prevent canopy from blowing in or flying up.
- 5. Fabric is rip-resistant, urethane coated and UV protected for durability.
- 6. Full-length seams are heat-sealed to eliminate leaks.
- 7. Canopy frames adjust vertically and horizontally for perfect coverage.
- 8. Available in many sizes & colors.







Elastic Tension-Belt™ and Quick-Clip[™] System

The Quick-Clip[™] System lives up to its name with ergonomic finger grips that help you to install and remove your canopy fabric in half the time of other systems. The exclusive Elastic Tension-Belt[™] design provides constant tension on the fabric for a smooth and pleasing aesthetic.

Horizontal Fabric Tensioner


Adjustable end pulls fabric taut horizontally and retracts for easy removal.



Bird Deterrent

By employing four vertical posts with fishing line, birds are discouraged from getting comfortable on your canopy.





∧IRM∧X[™] Premier



AIRMAX[™] & MAXIS[™] Canopy Colors



The MAXISTM Canopy System PATENT PENDING

Easy Access Into Your Lift With the Touch of a Button

The MAXIS[™], with its extremely deep canopy sides, provides more protection – and with the push of a button, the bunks lower while the canopy raises so you have easy access for boats with towers and bimini tops. Mesh ends allow air to flow through the canopy. Styles and colors subject to change.





Free-Standing Canopy

- A canopy for those who only want overhead coverage.
- Inside width is 119" and accommodates all sizes of 10.5' AIRMAX[™] canopies (canopy frame & fabric sold separately).
- Must anchor when installing.

Bunk Systems

Bunk Systems

FLOE's bunks are made with strong aluminum extrusions with durable grey vinyl for maximum protection. Most bunks are adjustable vertically and horizontally for a perfect fit for most boats and pontoons.

BOAT BUNKS



Full-Length Bunk System



Cradle Pad Pivot Bunks

PONTOON BUNKS



Pontoon Bunk / Guide-in System





Full-Length Pontoon Bunks

Pontoon Cradle Pad Bunk System



GUIDE-IN SYSTEMS

Guide-ins & Parking Assistants

Stress-Free Landings. Every Single Time.

MOTOR & BOW STOPS



Bow Flex Park Positioning System



Motor Stop



Bow Stop





Precision-Park™ Horizontal Guide-in System

Pro-Park™ Vertical Guide-in System





Pontoons & Deck Boats

Perfect-Park[™] Vertical Guide-in System

Installation and Removal Accessories



Float & Roll[™] Systems Float your lift into a slip or long distances.

Accessories



Boat Lift Step

Enter your boat easier. Slip-proof, adjustable.



Solar Panel


The new solar charging kit includes a trickle charger and keeps your battery charged all summer. It is available with one panel for 12V systems and two panels for 24V systems.



Boat Lift Wheel Kits Easily roll your lift into place.



Y-Cable and Tow Extension Cable



Lift Anchoring System

Augers into lake bottom. Works well in soft lake bottoms.

Specifications

											Winch	В	Bunk O	ption	S	Can Siz	opy es	Gui	ns		
VSD Lift Specifi	ications										0		at Bunks	Pontoon Bunks	/Guide-In's	28, 30'					
Lift model	Bed Travel	lnside Width	Outside Width	Outside Length	Leg Travel	Frame Weight	Inside width w/ single vert. Guides	Inside width w/ double vert. Guides	Inside width w/ horiz. Guides	Inside width w/ Perfect Park Guides	24-volt DC VSD	Cradle Pads	Full Length Boat	Full-Length Por	Pontoon Bunks/Guide-In's	22; 24; 26; 28;	28; 32; 34'	Pro-Park	Precision-Park	Perfect Park	Motor Stop
VSD-3800	52"	119"	135"	114"	30"	538	107.5"	110"	107.5"	110"	Х	Х	Х	Х	Х	Х		Х	Х	Х	Х
VSD-5000	52"	119"	135"	114"	30"	569	107.5"	110"	107.5"	110"	Х	Х	Х	Х	Х	Х		Х	Х	Х	Х
VSD-5000 P	52"	119"	135"	162"	30"	632	107.5"	112"	107.5"	110"	Х	Х		Х	Х	Х		Х		Х	Х
VSD-6500	60"	116"	135"	131"	35"	731	103.5"	107"	103.5"	107"	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
VSD-6500 P	60"	116"	135"	167"	35"	770	103.5"	107"	103.5"	107"	Х	Х		Х	Х	Х	Х	Х		Х	Х
VSD-8000	60"	116"	135"	131"	35"	731	103.5"	107"	103.5"	107"	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
VSD-8000 P	60"	116"	135"	167"	35"	770	103.5"	107"	103.5"	107"	Х	Х		Х	Х	Х	Х	Х			Х
VSD-10000 W	52"	131"	147"	167"	35"	1010	116.5"	120"	115.5"	119"	Х	Х	Х	Х			Х	Х		Х	Х
VSD-10000 STD	60"	116"	135"	131"	35"	796	103.5"	107"	103.5"	107"	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х

	Win Optio			Bunk ption		С	anop	y Sizo	es	Gui	ons			
Inside width w/ Perfect Park Guides	Crank Wheel	12-volt DC	Cradle Pads	Full-Length Boat Bunks	Pontoon Bunks/Guide-In's	12', 14'	14'	20'	20', 22', 24', 26', 28', 30'	Pro-Park	Precision-Park	Perfect Park	Motor Stop	
n/a	36"	Х		*			Х			*				
84.5″	36"	Х	Х	Х				Х		Х		Х	Х	
n/a	36"	Х	Х	Х		Х				Х			Х	
110"	42"	Х	Х	Х	Х				Х	Х	Х	Х	Х	
110"	42"	Х	Х	Х	Х				Х	Х	Х	Х	Х	

Winch Lift Specifications

Lift model	Bed Travel	lnside Width	Outside Width	Outside Length	Leg Travel	Frame Weight	Inside width w/ single vert. Guides	Inside width w/ double vert. Guides	Inside width w/ horiz. Guides	Inside width w/ Perfect Park Guides	Crank Wheel	12-volt DC	Cradle Pads	Full-Length Boa	Pontoon Bunks/G	12', 14'	14'	20'	20', 22', 24', 26', 28', 3	Pro-Park	Precision-Park	Perfect Park	Motor Stop
V-1600	51"	60"	73.5"	73.125"	24"	155	55"	n/a	n/a	n/a	36"	Х		*			Х			*			
V-2000	50"	93.5"	109"	102"	30"	225	82"	84.5"	82"	84.5"	36"	Х	Х	Х				Х		Х		Х	Х
V-2602	50"	119"	135"	66"	30"	268	107.5"	110"	n/a	n/a	36"	Х	Х	Х		Х				Х			Х
V-3600	50"	119"	135"	114"	30"	372	107.5"	110"	107.5"	110"	42"	Х	Х	Х	Х				Х	Х	Х	Х	Х
V-4600	50"	119"	135"	114"	30"	414	107.5"	110"	107.5"	110"	42"	Х	Х	Х	Х				Х	Х	Х	Х	Х

*V-1600 includes bunks & guides.

Pivot Lift Specifications

Lift model Bed Travel	Inside Width	Outside Width	Outside Length	Leg Travel	Frame Weight	width w/ single vert. Guides
PWC-1300 28"	58.5"	62.5"	61"	24"	130	48"
P-1600 32"	84"	88"	91"	24"	220	75.5"







FLOE INTERNATIONAL

©2023 FLOE International - All Rights Reserved. Specifications subject to change without notice. 3.23 P/N 500-90010-00 2023 Brochure